

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((obtain\$4 or collect\$4) near6 (metric\$2 or value\$2)) same (((new\$2 and old\$2) or (before\$2 and after\$2)) near6 (configurat\$4 with chang\$4))) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 07:00
		((obtain\$4 or collect\$4) near6 (metric\$2 or value\$2)) same ((new\$2 and old\$2) or (before\$2 and after\$2) near6 (configurat\$4 with chang\$4))) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 07:00
L1	1086	(configurat\$4 with chang\$4) same (adjust\$4 with (value\$2 or parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 06:42
L2	757	((configurat\$4 with chang\$4) same (adjust\$4 with (value\$2 or parameter\$2))) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 06:53
L3	9	("6282175" "6609093" "2003011251").pn. and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 06:44
L4	26	((configurat\$4 with chang\$4) same (adjust\$4 with (value\$2 or parameter\$2)) same ((new\$2 and old\$2) or (before\$2 and after\$2))) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 06:56
L5	2979	((obtain\$4 or collect\$4) same (metric\$2 or value\$2) same ((new\$2 and old\$2) or (before\$2 and after\$2) same (configurat\$4 with chang\$4))) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 06:58

EAST Search History

L6	2957	((obtain\$4 or collect\$4) same (metric\$2 or value\$2) same ((new\$2 and old\$2) or (before\$2 and after\$2) near6 (configurat\$4 with chang\$4))) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 06:59
L7	0	((obtain\$4 or collect\$4) near6 (metric\$2 or value\$2)) same (((new\$2 and old\$2) or (before\$2 and after\$2)) near6 (configurat\$4 with chang\$4)) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 07:01
L8	2	((obtain\$4 or collect\$4) with (metric\$2 or value\$2)) same (((new\$2 and old\$2) or (before\$2 and after\$2)) near6 (configurat\$4 with chang\$4)) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 07:11
L9	5	((obtain\$4 or collect\$4) with (metric\$2 or value\$2)) same (((new\$2 and old\$2) or (before\$2 and after\$2)) with (configurat\$4 with chang\$4)) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 07:05
L10	0	((obtain\$4 or collect\$4 or aggregat\$4) with (metric\$2) with ((new\$2 with old\$2) or (before\$2 with after\$2)) with (configurat\$4 with chang\$4)) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 07:13
L11	11	((obtain\$4 or collect\$4 or aggregat\$4) with (metric\$2) with (configurat\$4 with chang\$4)) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 07:23
L12	28	((compar\$4) with (new\$2 or before\$2) with (old\$2 or after\$2) with (configurat\$4 with chang\$4)) and (@ad<"20031105" or @rlad<"20051105")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 07:24